

Ace Acoustic LED

AA-C + ■ ▲

DESCRIPTION

The ACOUSTIC version integrates an element with sound-absorbing characteristics to the ACE light unit. The diffuser, made of high density polyethylene, is suitable to make the interior acoustics of a room more welcoming and improve the acoustic comfort. The thermoformed material is totally recyclable, environmentally friendly, does not use chemicals, adhesives and dyes. Ace ACOUSTIC comes in 3 sizes: 45, 60 and 90cm. Four colors in the range: gray, red, green and blue




PRODUCTS CHARACTERISTICS

installation type
material
Finish
Colour
Power
Lumen output - Full emission
Efficacy

ceiling / wall
aluminum
Anodised
Black
9,5 W
max 700 lm
max 74 lm/W

* Code to complete

Colour		CCT	▲
Black	B	2700 K	1
		3000 K	2
		4000 K	3



ELECTRICAL CHARACTERISTICS

feeding
Insulation class

220÷240 V
Class III

MECHANICAL CHARACTERISTICS

product IP rate

IP20

Ace Acoustic LED

AA-C + ■ △

LED SOURCE DETAILS

led source type	SMD Led
Light source coding	RG0
Light temperature	2700 K
CRI	CRI > 80
SDCM	


LIGHTING DETAILS

emission	downlight
optic	120°

COMPONENTS

Calotta Ø 45 cm

BSS01A + ■




* Code to complete

Colour	■
Blu	B
Grigio	G
Rosso	R
Verde	Y

Calotta Ø 60 cm

BSS01B + ■



* Code to complete

Colour	■
Blu	B
Grigio	G
Rosso	R
Verde	Y

Ace Acoustic LED

AA-C + 