

Ace Acoustic LED

AA-SC+



DESCRIPTION

The ACOUSTIC version integrates an element with sound-absorbing characteristics to the ACE light unit. The diffuser, made of high density polyethylene, is suitable to make the interior acoustics of a room more welcoming and improve the acoustic comfort. The thermoformed material is totally recyclable, environmentally friendly, does not use chemicals, adhesives and dyes. Ace ACOUSTIC comes in 3 sizes: 45, 60 and 90cm. Four colors in the range: gray, red, green and blue



PRODUCTS CHARACTERISTICS

installation type material Finish Colour Power


Lumen output - Full emission

Efficacy

* Code to complete

Colour CCT
Black B

Pendant aluminum Anodised Black 12 W max 1050 lm max 88 lm/W



ELECTRICAL CHARACTERISTICS

feeding 400mA Insulation class Class III

MECHANICAL CHARACTERISTICS

product IP rate

IP20





Ace Acoustic LED

AA-SC+



LED SOURCE DETAILS

led source type Light source coding CRI **SDCM**

SMD Led RG0 CRI > 80

LIGHTING DETAILS

emission downlight 120° optic


COMPONENTS


Rosone - 220-240Vac, alimentatore incluso

BSS02AC + ■ △









Rosone Trimmed - 220-240Vac, alimentatore incluso

BSSO4AC + ■ △







Ø70

| | | | * Code to complete |
|--------|---|---------|--------------------|
| Colour | | Control | Δ |
| nero | В | DALI | DA |
| bianco | W | On/Off | NF |
| | | Push | PU |






Ace Acoustic LED

AA-SC+



Calotta Ø 90 cm BSS01C +



| | * Code to complete | |
|--------|--------------------|--|
| Colour | | |
| Blυ | В | |
| Grigio | G | |
| Rosso | R | |
| Verde | Y | |